MarConnect i-Stick

Receiver for instruments with Integrated Wireless







FEATURES

- Unlike conventional wireless solutions, which have a large external transmitter with separate battery, the transmitter in integrated wireless is fully integrated.
- The lack of external cables and modules allows for high mobility
- With Integrated Wireless, you can transfer your measured values to the PC using the i-Stick
 As with a data cable, the measured values are accepted via the MarCom Software directly into MS Excel® or via a keyboard code into any Windows application
- Safe and reliable data transfer

 Instruments display messages confirming data has been received
- Confirms being in range of i-Stick
- Long battery life
 Negates need for addition
- Negates need for additional battery
- With Integrated Wireless, you can connect up to 8 measuring instruments per i-Stick receiver
 Expensive interface boxes are no longer necessary
- Package contains: i-Stick wireless receiver, driver
- Software: MarCom Professional free download: www.mahr.com/ marcom (only for Mahr data cables and wireless systems with USB and RS-232 interface)



TECHNICAL DATA

Order no.		4102220
Number of channels		3
Frequency band	MHz	2400
Radio range		Up to 6 m
Туре		i-Stick
Number of connectable wireless receivers for i-Stick		4
Number of connectable measuring instruments with Integrated Wireless		32
For measuring instrument		MarCal 16 EWRi / 18 EWRi / 30 EWRi MarCator 1086 Ri / 1086 WRi / 1087 Ri / 1087 BRi Micromar 40 EWRi / 40 EWRi-L Millimess 2000 W(i), 2001 W(i) Multimar 25 EWRi Digimar 817 CLT

