


Blade Calipers

Series 573

These blade calipers have thin measuring jaws. They offer you the following benefits:


- The thin blade-type jaws fit into very small grooves making it much easier for you to obtain many previously difficult outside measurements.
- The outside measuring faces are carbide.



573-634-20

Metric


No.	Range [mm]	Thumb roller	Accuracy	Digital step	Mass [g]
573-634-20	0-150		±0,02 mm	0,01 mm	168
573-635-20	0-150		±0,02 mm	0,01 mm	168



Series 536

These blade calipers have thin measuring jaws. They offer you the following benefits:

- The thin blade-type jaws fit into very small grooves making it much easier for you to obtain many previously difficult outside measurements.
- The outside measuring faces are carbide.



536-134

Metric

No.	Range [mm]	Accuracy	Graduation	Mass [g]	L [mm]	a [mm]	b [mm]	c [mm]	d [mm]	e [mm]
536-134	0-150	±0,05 mm	0,05 mm	140	229	20	40	0,75	16	3
536-135	0-200	±0,05 mm	0,05 mm	180	286	25	50	0,75	16	3
536-136	0-300	±0,08 mm	0,05 mm	420	403	30	64	1	16	3,8

Functions	Series 573
ORIGIN (ABS-Zero)	
Auto Power OFF after 20 min. non use	
Low voltage alarm	
Data output	

Specifications

Max. response speed	Unlimited
Delivered	In a case, including 1 battery
Battery life	Approx. 5 years under normal use

Optional accessories

No.	Description
05CZA624	Digimatic Cable with Data Button IP Type, 1m, Caliper Type
05CZA625	Digimatic Cable with Data Button IP Type, 2m, Caliper Type
06AFM380A	USB Input Tool Direct (Digimatic USB), Digi/Digi2, With Data Button IP Caliper Type
264-620	U-WAVE fit, IP67 Type, Wireless Transmitter for Caliper
264-621	U-WAVE fit, Buzzer Type, Wireless Transmitter for Caliper
02AZF310	Connection Unit, U-WAVE fit, Waterproof Type

Consumable spares

No.	Description
938882	Battery SR44 1.5V

Specifications

Delivered	In a case
-----------	-----------

