# **Tube Thickness Calipers**

# Series 573

These tube thickness calipers are designed especially for round-shaped workpieces.

They offer you the following benefits:

 The beam-mounted jaw is a round bar that lets you easily measure tube wall thickness.










573-661-20

Metric					
No.	Range [mm]	Thumb roller	Accuracy	Digital step	Mass [g]
573-661-20	0-150	<b>a</b>	±0,05 mm	0,01 mm	167
573-662-20	0-150		±0,05 mm	0,01 mm	167



## Series 536

These tube thickness calipers are designed especially for round-shaped workpieces. They offer you the following benefits:

• The beam-mounted jaw is a round bar that lets you easily measure tube wall thickness.



Metric			
No.	Range [mm]	Graduation	Mass [g]
536-161	0-150	0,05 mm	150

Functions	Series 573
ORIGIN (ABS-Zero)	•
Auto Power OFF	<b>a</b>
after 20 min. non use	
Low voltage alarm	
Data output	<b>3</b>

### Specifications

Max. response speed	Unlimited
Delivered	In a case, including 1 battery
Battery life	Approx. 5 years under normal use

### **Optional accessories**

No.	Description	
05CZA624	Digimatic Cable with Data Button IP Type, 1m, Caliper Type	
05CZA625	Digimatic Cable with Data Button IP Type, 2m, Caliper Type	
06AFM380A	USB Input Tool Direct (Digimatic USB), Digi/Digi2, With Data Button IP Caliper Type	
264-620	U-WAVE fit, IP67 Type, Wireless Transmitter for Caliper	
264-621	U-WAVE fit, Buzzer Type, Wireless Transmitter for Caliper	
02AZF310	Connection Unit, U-WAVE fit, Waterproof Type	

### Consumable spares

No.	Description
938882	Battery SR44 1.5V



#### Specifications

Delivered In a case



